

# **Safety Data Sheet**

Issue Date: 06-Apr-2023 Revision Date: 01-Jul-2024 Version 2

## 1. IDENTIFICATION

Product identifier

Product Name Chlorine

Other means of identification

**SDS #** EF-049

Synonyms Cl2; Bertholite; Chloor; Chlor; Chlore; Chlorine mol.; Cloro; Molecular chlorine.

UN/ID No UN1017

Recommended use of the chemical and restrictions on use

Recommended Use Synthetic/Analytical chemistry.

Details of the supplier of the safety data sheet

**Supplier Address** 

EFC Gases & Advanced Materials

3266 Bergey Road Hatfield, PA 19440

Email: efcsafety@efcgases.com

Emergency telephone number

Company Phone Number 215-443-9600

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

AppearanceGreenish-yellow gas withPhysical stateGasOdorSuffocating odor Pungent

suffocating odor

## Classification

Acute toxicity - Inhalation (Gases)	Category 2
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Oxidizing gases	Category 1
Gases under pressure	Compressed gas

## Signal Word

Danger

## **Hazard statements**

Fatal if inhaled
Causes severe skin burns and eye damage
May cause respiratory irritation
May cause or intensify fire; oxidizer
Contains gas under pressure; may explode if heated



## **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Wear respiratory protection

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep reduction valves free from grease and oil

Keep/Store away from clothing/ combustible materials

#### **Precautionary Statements - Response**

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

Call a poison center or doctor/physician if you feel unwell

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

In case of fire: Stop leak if safe to do so

## **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up Store in a well-ventilated place Protect from sunlight

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other hazards

Very toxic to aquatic life with long lasting effects

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## **Synonyms**

Cl2; Bertholite; Chloor; Chlore; Chlorine mol.; Cloro; Molecular chlorine.

Chemical name	CAS No	Weight-%
Chlorine	7782-50-5	100

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST AID MEASURES

## **Description of first aid measures**

**General Advice** 

Provide this SDS to medical personnel for treatment.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

**Skin Contact** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse. Immediately call a poison center or

doctor/physician.

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is

suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept

under medical surveillance for 48 hours.

**Ingestion** As this product is a gas, refer to the inhalation section.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** Fatal if inhaled. Causes severe skin burns and eye damage. May cause respiratory

irritation. Contact with rapidly expanding gas may cause burns or frostbite.

## Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

## **Specific Hazards Arising from the Chemical**

Contains gas under pressure. Oxidizing material. This material increases the risk of fire and may aid combustion. Contact with combustible material may cause fire. In a fire or if heated, a pressure increase will occur and the container may burst or explode.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

For Emergency Responders Use personal protection recommended in Section 8.

#### **Environmental precautions**

**Environmental precautions** Ensure emergency procedures to deal with accidental gas releases are in place to avoid

contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). See Section 12 for additional

Ecological Information.

## Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Stop leak if possible without personal risk.

#### 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Do not breathe

dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wear respiratory protection. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection. Keep reduction valves free from grease and oil. Keep/store away from clothing and other combustible materials.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** Store in accordance with local regulations. Store in a segregated and approved area. Store

away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Cylinder temperatures should not exceed 52 °C (125

°F).

Incompatible Materials Combustible material. Reducing materials. Greases. Oils.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Chlorine	STEL: 0.4 ppm	(vacated) TWA: 0.5 ppm	IDLH: 10 ppm
7782-50-5	TWA: 0.1 ppm	(vacated) TWA: 1.5 mg/m³ (vacated) STEL: 1 ppm (vacated) STEL: 3 mg/m³	Ceiling: 0.5 ppm 15 min Ceiling: 1.45 mg/m <sup>3</sup> 15 min
		Ceiling: 1 ppm Ceiling: 3 mg/m <sup>3</sup>	

#### **Appropriate engineering controls**

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. Refer to 29

CFR 1910.133 for eye and face protection regulations.

Revision Date: 01-Jul-2024 EF-049 - Chlorine

**Skin and Body Protection** Chemical-resistant, impervious gloves complying with an approved standard should be

> worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the

time to breakthrough for any glove material may be different for different glove

manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Refer to 29 CFR 1910.138 for

appropriate skin and body protection.

**Respiratory Protection** Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard

> if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Refer to 29 CFR 1910.134 for respiratory protection

> > (Air=1)

requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

**Physical state** Gas

**Appearance** Greenish-yellow gas with suffocating Odor Suffocating odor Pungent

Color Greenish yellow **Odor Threshold** Not determined

**Property** Remarks • Method <u>Values</u>

No data available pН Melting point / freezing point -101 °C / -149.8 °F -34 °C / -29.2 °F

Initial boiling point and boiling range

Flash point

No data available **Evaporation Rate** Not determined

Flammability (Solid, Gas) Extremely flammable in the presence

> of the following materials or conditions: reducing materials, combustible materials, organic materials and

alkalis.

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor Pressure 85.3 psig **Vapor Density** 2.5

**Relative Density** Not determined

Water Solubility 7.41 g/l

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** No data available **Decomposition temperature** Not determined Kinematic viscosity Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined

**Oxidizing Properties** May intensify fire; oxidizer

**Other information** 

Molecular weight 70.9 g/mole

VOC Content Molecular formula Cl2
Liquid Density Specific Volume 5.4054
Bulk density Gas Density 0.185

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

## **Chemical stability**

Stable under recommended storage conditions.

## Possibility of hazardous reactions

Contact with combustible materials, risk of causing fire.

**Hazardous Polymerization** Hazardous polymerization does not occur.

# **Conditions to Avoid**

Keep out of reach of children.

## **Incompatible materials**

Combustible material. Reducing materials. Greases. Oils.

## **Hazardous decomposition products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

**Eye Contact** Avoid contact with eyes.

**Skin Contact** Avoid contact with skin.

**Inhalation** Fatal if inhaled.

**Ingestion** Do not ingest.

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Chlorine 7782-50-5	= 5800 mg/kg ( Rat )	-	= 293 ppm ( Rat ) 1 h
	= 6800 mg/kg(Rat)		

## Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Causes severe skin burns.

Serious eye damage/eye

irritation

Causes severe eye damage.

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

**STOT - single exposure** May cause respiratory irritation.

## **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

 Oral LD50
 5,800.00 mg/kg

 Gas
 146.50 ppm

 ATEmix (inhalation-dust/mist)
 0.501 mg/l

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

## **Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Chlorine		LC50: =0.44mg/L (96h, Lepomis	LC50: =0.017mg/L (48h, Daphnia
7782-50-5		macrochirus)	magna)
		LC50: =0.014mg/L (96h,	- 1
		Oncorhynchus mykiss)	
		LC50: 0.104 - 0.168mg/L (96h,	
		Oncorhynchus mykiss)	
		LC50: =0.08mg/L (96h, Pimephales	
		promelas)	
		LC50: =0.1mg/L (96h, Pimephales	
		promelas)	

# Persistence/Degradability

Not determined.

## **Bioaccumulation**

There is no data for this product.

## **Mobility**

Not determined

## Other adverse effects

Not determined

# 13. DISPOSAL CONSIDERATIONS

## **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID NoUN1017Proper Shipping NameChlorineTransport hazard class(es)2.3Subsidiary Hazard Class8

<u>IATA</u> Forbidden

**IMDG** 

UN number or ID number UN1017
Proper Shipping Name Chlorine
Transport hazard class(es) 2.3
Subsidiary Hazard Class 8
Marine Pollutant Yes

# 15. REGULATORY INFORMATION

## **International Inventories**

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AIIC
Chlorine	Х	ACTIVE	Х	X	X	X	X	X	X

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Chlorine	10 lb	10 lb	RQ 10 lb final RQ
7782-50-5			RQ 4.54 kg final RQ

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Chlorine - 7782-50-5	7782-50-5	100	1.0

## **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Chlorine	10 lb			Χ

## **US State Regulations**

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## **U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Chlorine	X	X	X
7782-50-5			

## **16. OTHER INFORMATION**

NFPAHealth hazardsFlammabilityInstabilitySpecial hazards400-HMISHealth hazardsFlammabilityPhysical hazardsPersonal Protection---Not determined

Issue Date:06-Apr-2023Revision Date:01-Jul-2024Revision Note:Regulatory review

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**