

Safety Data Sheet

Issue Date: 04-Jul-2024	Revision Date: 04-Jul-2024	Version 1	
1. IDENTIFICATION			
<u>Product identifier</u> Product Name	Trans-2-Butene		
Other means of identification SDS #	EF-113		
Synonyms UN/ID No	E)-2-Butene; trans-Butene; trans-1,2-Dimethylethylene; trans-2-Butene; 2-t (E)-2-C4H8; (2E)-2-Butene; 2-Butene, trans-; butene-2,trans; t-butene-2. UN1012	rans-Butene;	
Recommended use of the chemica Recommended Use	al and restrictions on use Synthetic/Analytical chemistry.		
Details of the supplier of the safet Supplier Address EFC Gases & Advanced Materials 3266 Bergey Road Hatfield, PA 19440 Email: efcsafety@efcgases.com	<u>y data sheet</u>		
Emergency telephone number Company Phone Number Emergency Telephone	215-443-9600 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)		
2. HAZARDS IDENTIFICATION			
Appearance Colorless gas	Physical state Gas		
<u>Classification</u>			

Flammable gases	Category 1
Gases under pressure	Compressed gas
Simple asphyxiants	Yes

<u>Signal Word</u> Danger

<u>Hazard statements</u> Extremely flammable gas Contains gas under pressure; may explode if heated May displace oxygen and cause rapid suffocation



Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Precautionary Statements - Response

Eliminate all ignition sources if safe to do so LEAKING GAS FIRE: Do not extinguish, unless leak can be stopped safely

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

E)-2-Butene; trans-Butene; trans-1,2-Dimethylethylene; trans-2-Butene; 2-trans-Butene; (E)-2-C4H8; (2E)-2-Butene; 2-Butene, trans-; butene-2,trans; t-butene-2. C4-H8

Formula

Chemical name	CAS No	Weight-%
Trans-2-butene	624-64-6	80-100

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.	
Skin Contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. To avoid the risk of static discharges and gas ignition, soak contaminated clothing thoroughly with water before removing it. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.	
Ingestion	As this product is a gas, refer to the inhalation section.	
Self-Protection of the First Aider No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.		
Most important symptoms and effects, both acute and delayed		
Symptoms	Contact with rapidly expanding gas may cause burns or frostbite.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None known.

Specific Hazards Arising from the Chemical

Contains gas under pressure. Extremely flammable gas. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

Hazardous combustion products Carbon dioxide (CO2). Carbon monoxide.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. If involved in fire, shut off flow immediately if it can be done without risk. If this is impossible, withdraw from area and allow fire to burn. Fight fire from protected location or maximum possible distance. Eliminate all ignition sources if safe to do so.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Accidental releases pose a serious fire or explosion hazard. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For Emergency Responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	
Environmental precautions	Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). See Section 12 for additional

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Small Spill: Immediately contact emergency personnel. Stop leak if without risk. Use spark- proof tools and explosion-proof equipment. Large Spill: Immediately contact emergency personnel. Stop leak if without risk. Use spark-proof tools and explosion-proof equipment. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Ecological Information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop.Use a suitable hand truck for cylinder movement. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Storage ConditionsStore in accordance with local regulations. Store in a segregated and approved area. Store
away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible
materials (see Section 10). Keep container tightly closed and sealed until ready for use.
Cylinders should be stored upright, with valve protection cap in place, and firmly secured to
prevent falling or being knocked over. Cylinder temperatures should not exceed 52 °C (125
°F).

Incompatible Materials Oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Trans-2-butene	TWA: 250 ppm	-	-
624-64-6			

Appropriate engineering controls

Engineering ControlsUse only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Individual protection measures, such as personal protective equipment

Eye/Face ProtectionSafety eyewear complying with an approved standard should be used when a risk
assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases
or dusts. If contact is possible, the following protection should be worn, unless the
assessment indicates a higher degree of protection: chemical splash goggles and/or face
shield. If inhalation hazards exist, a full-face respirator may be required instead.
Recommended: safety glasses with side-shields. Refer to 29 CFR 1910.133 for eye and
face protection regulations.

Skin and Body Protection Chemical-resistant, impervious gloves complying with an approved standard should be

	worn at all times when handling chemical products if a risk assessment indicates this is necessary. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Refer to 29 CFR 1910.138 for appropriate skin and body protection.
Respiratory Protection	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Refer to 29 CFR 1910.134 for respiratory protection requirements.
General Hygiene Consideratio	ons Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Gas Colorless gas Colorless	Odor Odor Threshold	Not determined Not determined
<u>Property</u> pH	<u>Values</u> No data available	Remarks • Method	
Melting point / freezing point Initial boiling point and boiling range	-105 °C / -157 °F 1 °C / 33.8 °F		
Flash point	No data available		
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	Extremely flammable in the presence		
	of the following materials or conditions Open flames, sparks and static	5:	
	discharge and Oxidizing materials		
Flammability Limit in Air			
Upper flammability or explosive	9.7%		
limits			
Lower flammability or explosive	1.8%		
limits	45		
Vapor Pressure	15	(0:	
Vapor Density Relative Density	1.9 Not determined	(Air=1)	
Water Solubility	Not determined		
Solubility in other solvents	Not determined		
Partition Coefficient	2.31		
Autoignition temperature	324 °C / 615.2 °F		
Decomposition temperature	Not determined		
Kinematic viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		
Other information			
Molecular weight	56.11 g/mole		
molecular weight			
10. STABILITY AND REACTIVITY			

Page 5/9

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Will not occur.

Conditions to Avoid

Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

Incompatible materials

Oxidizers.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Inhalation	Do not inhale.
Ingestion	Do not ingest.
Component Information Not available	
Symptoms related to the physical, c	hemical and toxicological characteristics
Symptoms	Please see section 4 of this SDS for symptoms.
Delayed and immediate effects as w	ell as chronic effects from short and long-term exposure
Carcinogenicity	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Numerical measures of toxicity Not determined.	

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. <u>Persistence/Degradability</u> Not determined.

Bioaccumulation

There is no data for this product.

<u>Mobility</u>

Not determined

Other adverse effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT	
UN/ID No	UN1012
Proper Shipping Name	Butylene
Transport hazard class(es)	2.1

ΙΑΤΑ	
UN number or ID number	UN1012
Proper Shipping Name	Butylene
Transport hazard class(es)	2.1
IMDG	
UN number or ID number	UN1012
Proper Shipping Name	Butylene
Transport hazard class(es)	2.1

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AIIC
Trans-2-butene	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х

Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

- IECSC China Inventory of Existing Chemical Substances
- KECL Korean Existing and Evaluated Chemical Substances
- **PICCS** Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	No

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Trans-2-butene	Х	X	Х
624-64-6			

16. OTHER INFORMATION				
<u>NFPA</u>	Health hazards	Flammability 4	Instability 0	Special hazards
<u>HMIS</u>	Health hazards	Flammability -	Physical hazards	Personal Protection Not determined
Issue Date:	04-Jul-2	024		
Revision Date:	04-Jul-2	024		
Revision Note:	New for	mat		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet